

AMENDMENTS TO THE CLAIMS

Claims 1-88 were originally filed.

Please cancel claims 1-52.

Claims 53-88 remain unchanged and pending.

1. (Canceled).

2. (Canceled).

3. (Canceled).

4. (Canceled).

5. (Canceled).

6. (Canceled).

7. (Canceled).

8. (Canceled).

9. (Canceled).

10. (Canceled).

- 1 11. (Canceled).
- 2
- 3 12. (Canceled).
- 4
- 5 13. (Canceled).
- 6
- 7 14. (Canceled).
- 8
- 9 15. (Canceled).
- 10
- 11 16. (Canceled).
- 12
- 13 17. (Canceled).
- 14
- 15 18. (Canceled).
- 16
- 17 19. (Canceled).
- 18
- 19 20. (Canceled).
- 20
- 21 21. (Canceled).
- 22
- 23 22. (Canceled).
- 24
- 25 23. (Canceled).

- 1
- 2 24. (Canceled).
- 3
- 4 25. (Canceled).
- 5
- 6 26. (Canceled).
- 7
- 8 27. (Canceled).
- 9
- 10 28. (Canceled).
- 11
- 12 29. (Canceled).
- 13
- 14 30. (Canceled).
- 15
- 16 31. (Canceled).
- 17
- 18 32. (Canceled).
- 19
- 20 33. (Canceled).
- 21
- 22 34. (Canceled).
- 23
- 24 35. (Canceled).
- 25

- 1 36. (Canceled).
- 2
- 3 37. (Canceled).
- 4
- 5 38. (Canceled).
- 6
- 7 39. (Canceled).
- 8
- 9 40. (Canceled).
- 10
- 11 41. (Canceled).
- 12
- 13 42. (Canceled).
- 14
- 15 43. (Canceled).
- 16
- 17 44. (Canceled).
- 18
- 19 45. (Canceled).
- 20
- 21 46. (Canceled).
- 22
- 23 47. (Canceled).
- 24
- 25 48. (Canceled).

1

2

49. (Canceled).

3

4

50. (Canceled).

5

6

51. (Canceled).

7

8

52. (Canceled).

9

10

53. (Original) A language input user interface comprising:

11

a line-based entry area;

12

an input text displayed within the line-based entry area; and

13

an output text, converted from the input text, displayed together with

14

unconverted input text within the line-based entry area.

15

16

54. (Original) A language input user interface as recited in claim 53,

17

wherein the input text comprises a phonetic text and the output text comprises a

18

character-based language text.

19

20

55. (Original) A language input user interface as recited in claim 53,

21

wherein the input text comprises Chinese Pinyin and the output text comprises

22

Chinese Hanzi.

23

24

56. (Original) A language input user interface as recited in claim 53,

25

wherein the line-based entry area is oriented horizontally.

1
2 57. (Original) A language input user interface as recited in claim 53,
3 wherein the output text replaces the input text from which the output text was
4 converted.

5
6 58. (Original) A language input user interface as recited in claim 53,
7 wherein the output text is further modified as additional input text is entered.

8
9 59. (Original) A language input user interface as recited in claim 53,
10 wherein the output text is rendered fixed in response to user entry of punctuation.

11
12 60. (Original) A language input user interface as recited in claim 53,
13 wherein the output text is rendered fixed in response to user confirmation of the
14 output text.

15
16 61. (Original) A language input user interface as recited in claim 53,
17 further comprising editing means for editing the output text within the line-based
18 entry area without switching from an entry mode to an edit mode.

19
20 62. (Original) A language input user interface as recited in claim 53,
21 further comprising an edit window, invokable by a user, positioned adjacent to
22 particular output text to be edited.

23
24 63. (Original) A language input user interface as recited in claim 53,
25 wherein the line-based entry area is oriented in a first direction and further

1 comprising an edit window positioned adjacent to the line-based entry area and
2 oriented in a second direction orthogonal to the first direction.

3
4 64. (Original) A language input user interface as recited in claim 53,
5 further comprising an input text hint, invokable by a user, positioned adjacent to
6 line-based entry area near selected output text to be edited, the input text hint
7 window containing the input text from which the selected output text was
8 converted.

9
10 65. (Original) A language input user interface as recited in claim 53,
11 further comprising a candidate list, invokable by a user, positioned adjacent to
12 line-based entry area near selected output text to be edited, the candidate list
13 containing one or more alternate output text candidates that may be substituted for
14 the selected output text.

15
16 66. (Original) A language input user interface as recited in claim 65,
17 wherein the output text candidates are ordered within the candidate list according
18 to a ranking.

19
20 67. (Original) A language input user interface as recited in claim 65,
21 wherein the candidate list is scrollable and the output candidates are animated
22 during scrolling.

23
24 68. (Original) A language input user interface as recited in claim 53,
25 further comprising:

1 first and second candidate lists invocable by a user;
2 the first candidate list containing one or more alternate output text
3 candidates that may be substituted for the selected output text; and
4 the second candidate list containing a complete set of output text candidates
5 than the first candidate list.

6
7 69. (Original) A language input user interface as recited in claim 68,
8 wherein the output text candidates in the second candidate list are arranged
9 according to complexity of character construction.

10
11 70. (Original) A language input user interface as recited in claim 68,
12 wherein the output text candidates are ordered within the first candidate list
13 according to a first metric and the output text candidates are arranged in the
14 second candidate list according to a second metric different than the first metric.

15
16 71. (Original) A language input user interface as recited in claim 53,
17 wherein the line-based entry area is oriented in a first direction; and further
18 comprising:

19 an input text hint positioned above the line-based entry area near selected
20 output text to be edited and oriented in a second direction orthogonal to the first
21 direction, the input text hint containing the input text from which the selected
22 output text was converted; and

23 a candidate list positioned below the line-based entry area near the selected
24 output text to be edited, the candidate list containing one or more alternate output
25 text candidates that may be substituted for the selected output text.

1
2 72. **(Original)** A language input user interface as recited in claim 53,
3 wherein the input text contains phonetic and non-phonetic text and the output text,
4 phonetic input text and non-phonetic input text are displayed together within the
5 line-based entry area.

6
7 73. **(Original)** A word processor comprising the language input user
8 interface as recited in claim 53.

9
10 74. **(Original)** A language input architecture comprising:
11 a user interface to enable a user to enter an input text;
12 a language conversion unit to convert the input text to an output text; and
13 the user interface being configured to display the converted output text in-
14 line with unconverted input text.

15
16 75. **(Original)** A language input architecture as recited in claim 74,
17 wherein the input text comprises a phonetic text and the output text comprises a
18 character-based language text.

19
20 76. **(Original)** A language input architecture as recited in claim 74,
21 wherein the input text comprises Chinese Pinyin and the output text comprises
22 Chinese Hanzi.

1 77. (Original) A language input architecture as recited in claim 74,
2 wherein the user interface presents the output text and unconverted input text
3 within a common horizontal line.

4
5 78. (Original) A language input architecture as recited in claim 74,
6 wherein the language conversion unit continues to modify the output text as
7 additional input text is entered, the user interface changing the output text as the
8 output text is modified.

9
10 79. (Original) A language input architecture as recited in claim 74,
11 wherein the user interface enables a user to edit the output text without switching
12 from an entry mode to an edit mode.

13
14 80. (Original) A language input architecture as recited in claim 74,
15 wherein the user interface presents the output text and unconverted input text
16 within a common line oriented in a first direction and further presents an edit
17 window near selected output text to be edited, the edit window being oriented in a
18 second direction orthogonal to the first direction.

19
20 81. (Original) A language input architecture as recited in claim 74,
21 wherein the user interface presents an input text hint containing the input text from
22 which the selected output text was converted.

1 82. **(Original)** A language input architecture as recited in claim 74,
2 wherein the user interface presents a candidate list containing one or more
3 alternate output text candidates that may be substituted for the selected output text.

4
5 83. **(Original)** A language input architecture as recited in claim 74,
6 wherein the user interface presents first and second candidate lists, the first
7 candidate list containing one or more alternate output text candidates that may be
8 substituted for the selected output text and the second candidate list containing a
9 complete set of output text candidates than the first candidate list.

10
11 84. **(Original)** A language input architecture as recited in claim 74,
12 wherein the input text contains phonetic and non-phonetic text, further
13 comprising:

14 the language conversion unit is configured to convert the phonetic text to
15 language text while leaving the non-phonetic text unconverted; and

16 the user interface is configured to display the language text, unconverted
17 phonetic text, and the non-phonetic text in-line with one another.

18
19 85. **(Original)** A word processor comprising the language input
20 architecture as recited in claim 74,.

21
22 86. **(Original)** A language input architecture comprising:
23 a typing model to receive an input string written in a phonetic text and
24 determine a typing error probability of how likely a candidate string was
25 incorrectly entered as the input string;

1 a language model to determine a language text probability of how likely a
2 string written in a language text represents the candidate string;

3 a search engine to selectively convert the input string of phonetic text to the
4 string of language text based on the typing error probability and the language text
5 probability; and

6 a user interface to display the phonetic text and the language text within a
7 common line.

8
9 87. (Original) One or more computer-readable media having computer-
10 executable instructions that, when executed on a processor, direct a computer to:

11 receive an input string of phonetic text;

12 convert the input string of phonetic text to an output string of language text;

13 and

14 display the language text and unconverted phonetic text in-line together
15 within a line-based entry area.

16
17 88. (Original) One or more computer-readable media having computer-
18 executable instructions that, when executed on a processor, direct a computer to:

19 receive an input string of phonetic text and non-phonetic text;

20 convert the phonetic text to language text; and

21 display the language text, non-phonetic text, and unconverted phonetic text
22 in-line together within a line-based entry area.